

Super Conductor Materials, Inc.

391 Spook Rock Industrial Park, Suffern, NY 10901 · 845.368.0240 · www.scm-inc.com Chemtrec: (800) 424-9300 Poison Center: (800) 562-8236 Revision Date: January 8th, 2019

SAFETY DATA SHEET

Identity: Calcium Phosphate

Formula: Ca3(PO4)2

SECTION I - GENERAL INFORMATION

Manufacturer: Super Conductor Materials, Inc.

The information below is believed to be accurate and represents the best information available to Super Conductor Materials, Inc. However, SCM makes no warranty, expressed or implied with respect to such information and assumes no liability resulting from its use.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Molecular weight: 310.18

 CAS #
 OSHA PEL
 ACGIH TLV
 %

 12167-74-7
 N/A
 N/A
 N/A

SECTION III – PHYSICAL/CHEMICAL CHARACTERISTICS

Physical States: Solid

Boiling Point: N/A Melting Point: 1670°C Evaporation Rate: N/A Solubility in water: N/A Vapor Pressure (vs. air or mmHg): N/A Density: 3.14 g/cm3 at 20°C Flash Point: N/A

Appearance and odor: white powder, odorless

SECTION IV - FIRE AND EXPLOSION HAZARD DATA:

Method Used: UnknownExplosive Limits: LEL: N/AUEL: N/AExtinguishing Media: Product is not flammable. Use suitable extinguishing agent for surrounding
material and type of fireImage: Surrounding

Special Fire Fighting Procedures:

Firefighters must wear full face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. Fumes from fire are hazardous. Isolate runoff to prevent environmental pollution.

Unusual Fire and Explosion Hazards: In case of a fire, Phosphorus Oxides can be released



Super Conductor Materials, Inc.

391 Spook Rock Industrial Park, Suffern, NY 10901 · 845.368.0240 · www.scm-inc.com

SECTION V - REACTIVITY DATA

Stability: N/A Conditions to Avoid (instability): Decomposition will not occur if used and stored according to specifications. Incompatibility: No information known

Hazardous Decomposition or Byproducts: Phosphorus Oxide Hazardous Polymerization: None recorded Conditions to avoid (hazardous polymerization): None

SECTION VI - HEALTH HAZARD DATA

Routes of entry: Inhalation? No Skin? No Eyes? No Ingestion? No Other? N/A

Signs and Symptoms of Overexposure: Inhalation: N/A Ingestion: N/A Skin: Irritant to skin and mucous membranes. Eye: Irritating effect

Health Hazards (Acute and Chronic): N/A

Target Organs: N/AIARC Monographs?N/AOSHA Regulated?N/ACarcinogenicity: NTP? N/AIARC Monographs?N/AOSHA Regulated?N/AMedical Conditions Aggravated by Exposure: N/AN/AN/AN/A

Emergency and First Aid Procedures:

Inhalation:	Remove victim to fresh air, keep warm and quiet, and give oxygen if breathing is
	difficult; seek medical attention
Ingestion:	Give 1-2 glasses of milk or water and induce vomiting, seek medical attention. Never
	induce vomiting or give anything by mouth to an unconscious person
Skin:	Remove contaminated clothing, brush material off skin, wash affected area with mild
	soap and water, and seek medical attention if symptoms persist
Eye:	Flush eyes with lukewarm water, lifting upper and lower eyelids for at least 15 minutes and seek medical attention

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken in case material is released or spilled:

Wear appropriate respiratory and protective equipment specified in section VIII. Isolate spill area, provide ventilation and extinguish sources of ignition. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for proper disposal. Take care not to raise dust.

Waste disposal method:

Dispose of in accordance with state, local, and federal regulations.



Super Conductor Materials, Inc.

391 Spook Rock Industrial Park, Suffern, NY 10901 · 845.368.0240 · www.scm-inc.com Hazard Label Information:

Store in cool, dry area and in tightly sealed container. Wash thoroughly after handling.

SECTION VIII - CONTROL MEASURES

Protective Equipment Summary (Hazard Label Information): NIOSH approved respirator, impervious gloves, safety glasses, clothes to prevent contact.

Ventilation:

Local Exhaust: To maintain concentration at low exposure levels. Mechanical (General): Goog general ventilation is recommended.

Work/Hygienic/Maintenance Practices:

Implement engineering and work practice controls to reduce and maintain concentration of exposure at low levels. Use good housekeeping and sanitation practices. Do not use tobacco or food in work area. Wash thoroughly before eating or smoking. Do not blow dust off clothing or skin with compressed air.

Please be advised that N/A can either mean Not Applicable or No Data Has Been Established